

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.


**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

FIG. 1A

Excised at -50mV



2 minutes after excision, 1mM ATP in the bath, -80mV



2 minutes later, $+80\text{mV}$





FIG. 1B

Excised at -50mV



2 minutes after excision, 1mM ATP in the bath, -80mV



2 minutes later, $+80\text{mV}$



FIG. 2A




FIG. 2B




FIG. 3




FIG. 4A




FIG. 4B

FIG. 4C





FIG. 4D

FIG. 5A





FIG. 5B

FIG. 5C





FIG. 5D

FIG. 5E





FIG. 5F

CFPAC
-THAPS

CFPAC
+THAPS
T84



◀170kDa

FIGURE 6




FIGURE 7





FIGURE 8




FIGURE 9




FIGURE 10A





FIGURE 10B

Figure 11






FIGURE 11 D

Figure 12





Figure 13






FIGURE 14